



Year Model: 2018 GU813  
VIN: 1M2AX16C0JM041922  
Order Number: 068603  
Build Date:  
In Service Date: 05/07/2018

## APPLICATION PACKAGES

Code	Description	Family
0120502	PAVE THE WAY PROGRAM - CANADA	
0220000	NO PILOT REQUESTED	PILOT INSPECTION
0260079	2017/18 RAPID QUOTE MANAGEMENT PROGRAM - CANADA	SALES PROMOTION
MAJ0904	SALES PROGRAM TRACKING 2 - CANADA	PROGRAM FINANCIAL TRACKING
PK81740	PK8 1740: CTO, RH BB, 25L DEF, SLEEVED FUEL TANK, INBOARD AI	CHASSIS PACKAGING SOLUTIONS

APPLICATION PACKAGES: 5 items

## ENGINE/TRANSMISSIONS

Code	Description	Family
08AA1X	2.25 DEGREE ENGINE CRANK ANGLE	ENGINE CRANK ANGLE
1001766	MP8-445C MACK 445HP @ 1300-1700 RPM (PEAK) 1950 RPM (GOV) 18	ENGINE
1361511	TMD14AFO-HD mDRIVE HD 14 SP-MACK, ULTRA-LOW CREEPER/ MULTI-S	TRANSMISSION
2MCA1X	GREEN HOUSE GAS COMPLETE VEHICLE & COMPLETE CERTIFICATION	VEHICLE GHG CERTIFICATION
3GCB1X	GREEN HOUSE GAS VOCATIONAL APPLICATION	GHG APPLICATION, VEHICLE
3TAJ1X	ENGINE POWER 445HP	ENGINE POWER
5037001	MACK MP8 SERIES	ENGINES-GENERAL DESCRIP
5121000	MACK	TRANSMISSION VENDOR
8680000	MECHANICAL TRANSMISSION	AUTOMATIC TRANSMISSION
B960017	EPA-2017 DIESEL ENGINE W/CEGR/DPF/SCR	ENGINE EMISSIONS LEVEL
CJXAAX	EXHAUST GAS RECIRCULATION, COOLED	EXHAUST GAS RECIRCULATION
DPXFSX	13 L. PROPRIETARY ENGINE	ENGINE TYPE
H1BAAX	TURBO SINGLE STAGE	TURBO FAMILY FOR 2017
HEX05X	MACK ENGINE	ENGINE MANUFACTURER
HFYOAX	1950 RPM, GOVERNED ENGINE RPM	GOVERNED ENGINE RPM
HHXY2X	2401 NM-2550 NM, ENGINE TORQUE RANGES	ENGINE TORQUE RANGES
KTXVPX	ENGINE EMISSION, LEVEL USA2017	ENGINE EMISSION CONTROL
N1CC1X	DRIVELINE TECHNOLOGY, COMBUSTION	DRIVELINE TECHNOLOGY
N8CC1X	ENGINE FUEL CONCEPT LIQUID FUEL	ENGINE FUEL CONCEPT
Q1CA1X	GEAR SELECTION TUNING, BASIC	GEAR SELECTION TUNING
QWXA1X	TURBO BASIC DESIGN	TURBO
REXC1X	CRANK CASE VENTILATION OPEN EXTENDED	CRANK CASE VENTILATION
RTX05X	MECHANICAL TRANSMISSION	TRANSMISSION TYPE
RUXF1X	AUTOMATED GEAR SHIFTING	GEAR SHIFTING SYSTEM
RWXH5X	VPT AUTOMATED TRANSMISSION 2600NM OVERDRIVE	TRANSMISSION
RXXA1X	VPT TRANSMISSION	TRANSM. MANUFACTURER
U3AF8X	HIGHEST GEAR RATIO, 0.78	HIGH GEAR RATIO (TRANSMISSION)
U6AA1X	ENGINE GOVERNOR TYPE MIN-MAX	ENGINE GOVERNOR TYPE
U9AH0X	2ND HIGHEST GEAR RATIO, 1.00	SECOND HIGH GEAR RATIO TRANS

ENGINE/TRANSMISSIONS: 29 items

## EXHAUST/EMISSIONS

Code	Description	Family
0100015	DUAL HEAT SHIELD, ELBOW & STACK	EXHAUST - BRIGHT FINISH
0RAD1X	DPF REG CONTROL, AUTO IN MOTION, MAN STAT, INHIBIT ALLOWED	REGENERATION CONTROLS, DPF
1305011	NO MUFFLER, DUAL VERTICAL STRAIGHT EXH, STACK TURNED OUT END	EXHAUST
1LAK1X	SELECTIVE CATALYST REDUCTION, HORZ RHS INTEGRATED	SCR ORIENTATION
2ACZ1X	GREEN HOUSE GAS SOFT TOP FACTOR, 0 MINUTES	GHG VSL SOFT TOP FACTOR
2BCZ1X	GHG SPEED LIMITER EXPIRATION MILEAGE 0 MILES	GHG VSL EXPIRATION MILEAGE
4RAA2X	SCR SYSTEM EQUIPMENT, ELECTRICALLY HEATED	SCR SYSTEM EQUIPMENT
5BAAAX	EXHAUST HEAT SHIELD TYPE, BASIC	EXHAUST HEAT SHIELD TYPE
78ACSX	EMISSION OBD, DISPLAY ONLY, USA2016	EMISSION ON BOARD DIAG CONTROL
8NAB1X	DPF COVER STAINLESS STEEL, POLISHED	DPF COVER
9KAB1X	IDLE EMISSION CERTIFICATION, CARB 08	IDLE EMISSION CERTIFICATION
CIR0003	IDLE EMISSION CERTIFICATION, CARB (WITH DECAL LOCATED ON LOW	IDLE EMISSION CERTIFICATION
DF12025	25L / 22" DIA SEMI TANK LEFT SIDE FUEL TANK MTD	DEF TANK
DPF0111	CLEARTECH ONE BOX E.A.T.S. RH SIDE UNDER CAB US17	DPF DIESEL PARTICULATE FILTER
G8BB1X	AD-BLUE TANK MTG LOC, FUEL TANK	AD-BLUE TANK MOUNTING LOCATION
K0XD1X	TURNED OUT EXTENSION	EXHAUST STACK FEATURES
KLXF1X	EXHAUST DIRECTION, VERTICAL DUAL	EXHAUST DIRECTION
KRXB5X	EXHAUST STACK 3.55 METRE, HEIGHT OVER GROUND (11'6")	EXHAUST STACK HEIGHT
KSXK1X	SELECTIVE CATALYST REDUCTION + DPF INTEGRATED, VOLVO ENG.	EXHAUST AFTERTREATMENT SYSTEM
MILBEX	DEF TANK 25 LITER LEFT HAND SIDE	AD-BLUE TANK LEFT HAND SIDE
Q0AF2X	BRIGHT DUAL EXHAUST SYSTEM MATERIAL FINISH, INCLUDE ELBOW	EXHAUST SYSTEM MATERIAL FINISH
T5AH1X	DIESEL PARTICULATE FILTER, HORZ RHS INTERGRATED	DPF ORIENTATION
TOXABX	DEF TANK MATERIAL, PLASTIC	AD-BLUE TANK MATERIAL
U0XA1X	SEMI RECTANGULAR DEF TANKS FOR DIAM 56 BRACKETS	AD-BLUE TANK SHAPE
V5CC1X	OBD EMISSIONS, CONSEQUENCE 1	OBD EMISSIONS CONSEQUENCE
V6CC1X	ON BOARD DIAG EMISSIONS PHASE A REGULATIONS	OBD EMISSIONS PHASE REGULATION
Y7BC1X	IDLE EMISSION LABEL LOCATION, LOWER DRIVER DOOR CORNER	IDLE EMISSION LABEL LOCATION

EXHAUST/EMISSIONS: 27 items

## CLUTCH/TRANS EQUIPMENT

Code	Description	Family
1100800	MACK ENGINE BRAKE POWER LEASH FOR MP8	ENGINE BRAKE
1134100	MERITOR/WABCO 318 (18.7 CFM)	AIR COMPRESSOR



Year Model: 2018 GU813  
 VIN: 1M2AX16C0JM041922  
 Order Number: 068603  
 Build Date:  
 In Service Date: 05/07/2018

1180026	BEHR FAN & ELECTRONIC MODULATING VISCOUS FAN DRIVE	FAN DRIVE
1192002	CHEVRON FULLY FORMULATED COOLANT W/ NITRATES (50/50 MIX DYED	COOLANT PROTECTION
1219001	BLACK ALUM MOUNTED BEHIND GRILLE	BUG SCREEN
1249032	SILICONE RADIATOR & HEATER HOSES W/BREEZE CONSTANT TORQUE CL	HOSES - RADIATOR/HEATER
1250109	11" SINGLE ELEMENT DONALDSON STEEL SEVERE SERVICE / HIGH DUS	AIR CLEANER
1311215	12 VOLT DELCO MTHD39	STARTER
1321228	12V130A DELCO 24SI (130 AMP)	ALTERNATOR
1400002	ALUMINUM (LIGHTWEIGHT)	FLYWHEEL HOUSING
1UAAAX	AIR CLEANER HOUSING MATERIAL, STEEL	AIR CLEANER HOUSING MATERIAL
1VAAAX	AIR INTAKE SOURCE, HOOD OUTSIDE	AIR INTAKE SOURCE
2930001	MACK W/MANUAL DRAIN VALVE (INTEGRAL W/PRIMARY FUEL FILTER)	FUEL-WATER SEPARATOR
3165105	3-12V MACK M/F 31 650 CCA THREADED STUD TYPE	BATTERIES
3180010	MECHANICAL SWITCH POSITIVE CONNECT TYPE- US10	BATTERY DISCONNECT SWITCH
3410001	CONTROLLED BY KEY SWITCH	DO NOT USE - ENGINE SHUTOFF
3930072	BATTERY BOX RIGHT SIDE BEHIND SCR	BATTERY BOX - MOUNTING
3EAB1X	MAIN SWITCH, FLAMING RIVER	MAIN SWITCH MANUFACTURER
4050002	BATTERY BOX COVER, POLISHED ALUMINUM	BATTERY BOX COVERS
40AD1X	COOLING HOSES CLAMP,BREEZE CONSTANT TORQUE, SPRING LOAD TYPE	COOLING HOSES CLAMP OPTIONS
4CC1X	ALTERNATOR CABLE AMP RATING, LOW (UP TO 165 AMPS)	ALTERNATOR CABLE AMP RATING
5081005	NARROW RADIATOR WITH LENGTH 3 (80 DM2), 41 DEG C ATB,COOLIN	COOLING PERFORMANCE
5NXA1X	110 VOLT / 1.5 KW, ENGINE BLOCK HEATER	ENGINE BLOCK HEATER
64AA1X	ALTERNATOR MANUFACTURER-DELCO	ALTERNATOR MANUFACTURER
9DCC1X	COOLANT PUMP SPEED RATIO, FIXED	COOLANT PUMP SPEED RATIO
C4XE1X	ANTI-FREEZE MANUFACTURER CHEVRON	COOLANT MANUFACTURER
H6XA1X	BUG NET, SINGLE, BEHIND THE GRILLE	RADIATOR SCREEN
H9XK1X	NARROW RADIATOR WITH LENGTH 3 (80 DM2)	RADIATOR TYPE
HLX10X	SILICONE COOLANT HOSE	COOLANT HOSE
HTXA8X	VPT ENGINE BRAKE 6 WITHOUT EPG AND VARIABLE GEOMETRI TURBO	ENGINE BRAKE TYPE
HWXA1X	WITH FILTER/CONDITIONER	COOLANT FILTER / CONDITIONER
J3XA3X	DUAL ENGINE MOUNTED FUEL FILTER, 2 STEP W. WATER SEPARATOR	FUEL FILTER SECONDARY
JAXA2X	41 DEG. C ATB COOLING CAPACITY	COOLING CAPACITY
JMXB1X	BRAKE LIGHTING, BASIC	ENGINE BRAKE LIGHTING
JSXA3X	VISCOUS FAN CLUTCH, ELECTRIC CONTROLLED	FAN CLUTCH TYPE
JTXAAX	BEHR FAN CLUTCH	FAN CLUTCH MANUFACTURER
JVXBAX	FUEL FILTER, WATER SEPARATOR, GENERIC	PRIMARY FUEL FILTER
K9XADX	ANTI-FREEZE -37C (-34F) BASIC LIFE COOLANT	COOLANT
KWXA1X	ONE STAGE AIR CLEANER (PRIMARY)	AIR CLEANER TYPE
KXXA1X	SMALL AIR CLEANER	AIR CLEANER SIZE
L4X2AX	RIGHT HAND SIDE BATTERY, MID LOCATION, BOX	BATTERY BOX MOUNTING
L5XF1X	POLISHED ALUMINUM BATTERY BOX COVER	BATTERY BOX COVER
L8XJAX	3 BATTERIES, 650 CCA	BATTERY CAPACITY
L9XA1X	GENERIC BATTERY	BATTERY MANUFACTURER
MBXA1X	STANDARD FUEL FILTER POSITION	PRIMARY FUEL FILTER POSITION
MOXAAX	BATTERY SHOCK PADS	BATTERY ISOLATION
NCXA5X	12V STANDARD STARTER DELCO 39MTHD	STARTER
NFXA0X	MECHANICAL MAIN SWITCH	MAIN SWITCH
O8AE1X	ENGINE PTO TORQUE CAPACITY 1000NM	ENGINE PTO TORQUE CAPACITY
PJXMFX	12V 130AMP BRUSHED	ALTERNATOR CAPACITY
Q8AB1X	ONE BATTERY BOX, 3 BATTERIES MAX	B-BOX QTY AND BATT PER BOX
QHXC1X	OIL PAN STEEL	OIL SUMP
R5DA1X	RADIATOR APPLICATION, BASIC	RADIATOR APPLICATION
VWXAZX	1 CYL 530 L/MIN. COMPRESSOR	COMPRESSOR CAPACITY

CLUTCH/TRANS EQUIPMENT: 54 items

## FRONT AXLE EQUIPMENT

Code	Description	Family
1335201	ZF/SACHS SINGLE PLATE 17" (430MM) ORGANIC MATERIAL	CLUTCH
1390026	OIL COOLER- M-DRIVE GEAR BOX MTD. LH SIDE WATER TO OIL COOL	TRANSMISSION OIL COOLER
1920002	TRANSMISSION BELLHOUSING, ALUMINUM	TRANSMISSION BELL HOUSING
1952204	DANA/SPICER SPL350	DRIVELINE - MAIN
2042203	DANA/SPICER SPL250HDXL EXTENDED LUBE SERIES	DRIVELINE - INTERAXLE
3IAA1X	HILL START ASSIST	HILL START ASSIST
3UCD1X	ULTRA LOW CRAWLER	AUX. SPEED OPERATION
4921402	MACK mDRIVE-PREMIUM SHIFTER	GEAR SHIFT
6RAA1X	TRANS. PERF. MODE, ENABLED W/ AUTO RETURN TO ECONOMY MODE	TRANSMISSION PERFORMANCE MODE
6SAA1X	TRANS. KICK-DOWN MODE, ENABLED	TRANSMISSION KICK-DOWN MODE
76AA1X	PROPELLER SHAFT MAIN, UNIVERSAL JOINT HALF-ROUND TYPE	PROPELLR SHAFT MAIN, UNVSL JNT
77AB1X	PROP SHAFT DIMENSION, INTERAXLE, LARGE	PROP SHAFT DIMENSION INTERAXLE
7RXD1X	SYNTHETIC OIL IN TRANSMISSION, 75W-90	LUBRICANTS, TRANSMISSION
8FCA1X	MULTI SPEED REVERSE	AUX.REVERSE SPEED OPERATION
8WAAAX	PROP SHAFT INTERAXLE, UNIV JOINT HALF-ROUND TYPE	PROP SHAFT INTERAXL UNIV JOINT
9040001	HALF-ROUND	DRIVESHAFT UNIVERSL JOINT
A6BC2X	AMT VOCATION OPTION ENHANCED	AMT VOCATION OPTION
B1EA1X	TRANSMISSION AUTO NEUTRAL ON P-BRAKE	
CNXNAX	TRANSM. SOFTWARE PACK, PREMIUM	TRANSMISSION SOFTWARE PACKAGE



Year Model: 2018 GU813  
 VIN: 1M2AX16C0JM041922  
 Order Number: 068603  
 Build Date:  
 In Service Date: 05/07/2018

K1DN1X	TRANSM OIL PROPERTIES 10 STD 1273,19	TRANSMISSION OIL PROPERTIES
M050018	MACK mDRIVE- ENHANCED PERFORMANCE MODE- AUTO RETURN (premium	TRANS SHIFT MODE POINTS
M080002	ECONO ROLL DISABLE mDRIVE (REQUIRED FOR ALL OTHER TRANSMISSI	ECO ROLL
QPXABX	TRANSMISSION APPLICATION, HEAVY DUTY	TRANSMISSION APPLICATION
RAXA2X	1 (SINGLE) PLATE 17" (430MM), ORGANIC, B VERSION	CLUTCH TYPE
RCXB1X	ALUMINUM BELL HOUSING	BELL HOUSING
RDXD1X	SACHS CLUTCH	CLUTCH MANUFACTURER
RVXG1X	GEAR SHIFTING, BASIC	GEAR SHIFT LEVER
SL40002	75W-90 SYNTHETIC LUBRICANT, MACK TRANS ONLY	SYNTHETIC LUBRICANT - TRANSMISSION
T2XB1X	MEC.TRAN. OIL COOL, WAT./OIL, HIGH PERF. VERS 2, GEARB.MOUNT	TRANSMISSION/RETARDER COOLER
THXC2X	PROP.SHAFT MANUF. BY SPICER WITH XL U-JOINTS	PROPELLER SHAFT MANUFACTURER
X9CZ1X	ENGINE SMART TORQUE FEATURE, DISABLED	ENGINE SMART TORQUE FEATURE

FRONT AXLE EQUIPMENT: 31 items

### FRAME EQUIPMENT/FUEL TANKS

Code	Description	Family
0KXA1X	BASIC MATERIAL HUB (STEEL/CAST IRON), FRONT	HUB MATERIAL, FRONT
1BXBDX	FAG SCHAEFFLER, FRONT HUB OIL SEAL	HUB OIL SEAL, FRONT
1KAA1X	SHOCK ABSORBER, FRONT	SHOCK ABSORBER, FRONT
2401501	FXL20 20000 LB-MACK (HIGH OFFSET) 9100KG	FRONT AXLE
2411105	MERITOR "S" CAM 16.5"X6" Q PLUS BRAKES	BRAKES - FRONT
2441011	20,000 LB TAPERLEAF 9100KG	SPRINGS - FRONT
2452116	TAS66+RCH60 TRW POWER	STEERING
3850001	DOUBLE ACTING TYPE FRONT SHOCK ABSORBERS	SHOCK ABSORBERS - FRONT
6ZXA1X	FRONT MUDGUARD, BASIC	MUDGUARD TYPE, FRONT AXLE
7VXC1X	PETROLEUM/SYNTHETIC (50/50) OIL FRONT AXLE	
FTXD1X	LOW GROUND CLEARANCE - HIGH OFFSET	GROUND CLEARANCE F.A.
FUXC1X	FRONT AXLE, UNIT BEARING	FRONT AXLE CONCEPT
FVXH1X	FRONT AXLE LOAD 9.1 TONNES (20000 LBS)	FRONT AXLE LOAD
FWXA1X	FRONT AXLE	FRONT AXLE MANUFACTURER
FXXG1X	1 * 9.1 TONNES, FRONT AXLE	FRONT AXLE TYPE CAPACITY
FZXA1X	1 FRONT AXLE, 0 DRIVEN	FRONT AXLE ARRANGEMENT
IRXA1X	LUBRICATED SUSPENSION PINS AND BUSHINGS	FRONT SUSP MAINTENANCE
K4AAAX	BASIC (NO OPTION) SPINDLE NUTS, FRONT	SPINDLE NUTS, FRONT
LQXABX	BRAKE LINING MATERIAL FRONT, MERITOR / R403	BRAKE LINING MATERIAL FRONT
O5BD1X	FRONT BRAKE CHAMBER 245Q INCHES (SERVICE)	FRONT BRAKE CHAMBER SIZE
SL60005	PETROLEUM / SYNTHETIC (50/50) IN FROTNX AXLE (GREASE NOT OIL	
U0AA1X	FRONT BRAKE ADJUSTMENT, AUTOMATIC HALDEX	FRONT BRAKE ADJ. MANUFACTURE
U3XA1X	BRAKE, FRONT, DRUM CAST IRON	BRAKE, FRONT
U5XB1X	FRONT, DRUM BRAKE LINING 150MM	BRAKE DIMENSION, FRONT
UAXA1X	BRAKE SYSTEM, CONVENTIONAL	BRAKE SYSTEM
UDXA1X	FRONT BRAKES WITH DUST SHIELDS	FRONT AXLE BRAKE DUST SHIELD
V4AA1X	FRONT WHEEL BRAKE TYPE, "S" CAM (CAST)	WHEEL BRAKE TYPE, FRONT
V7AD1X	FRONT BRAKE CHAMBER MANUFACTURER, MGM	FRONT BRAKE CHAMBER MFG.
X8AA1X	FRONT WHEEL BRAKE MANUFACTURER, MERITOR	WHEEL BRAKE MANUFACTURE, FRONT
XAXBIX	STEERING GEAR RATIO 18.4, FIXED, (TAS66)	STEERING GEAR RATIO
XEXB1X	ROTARY ASSIST CYLINDER	POWER STEERING AUX. ASSIST
YFXA1X	PARABOLIC SPRING (NORMAL STIFFNESS) FRONT	FRONT SPRING TYPE
YKXA1X	LEAF (MECHANICAL) SUSPENSION ,FRONT	FRONT SUSPENSION SYSTEM
ZGXC1X	HUBCAP, FRONT, BASIC	FRONT HUBCAP TYPE

FRAME EQUIPMENT/FUEL TANKS: 34 items

### AIR/BRAKE

Code	Description	Family
0180153	CRDP150/151 AVAILABLE WITH OPTIONAL DRIVER CONTROLLED INTERV	CARRIER/RATIO - REAR AXLE
0284000	VPT HAGERSTOWN - CPO FILE	REAR AXLE SUPPLIER- FBO
0380002	REAR AXLE CASING HEAVY DUTY	RR AXLE CASING DUTY RATNG
0391650	16.5" DIAMETER	REAR BRAKE DIAMETER
0960002	MACK TANDEM SPRING	REAR SUSPENSION
0LX15X	IRON PRESET HUB, DRIVE, W/ INTEGRATED SPINDLE NUT	HUB MATERIAL, DRIVE
1861610	MACK mRIDE46 PARABOLIC LEAF 46K	REAR SUSPENSION - TANDEM
1CXI2X	DRIVE HUB SEAL, PREMIUM	HUB OIL SEAL, DRIVE
2340010	WITH SHOCK ABSORBER, ALL REAR AXLES	SHOCK ABSORBERS - REAR
2370002	AUX SPRING BRAKE QTY, 4 CHAMBERS	SPRING BRAKE CHAMBERS - QUANTITY
2531104	MERITOR-CAM 16.5X7 Q PLUS	BRAKES - REAR
2540403	DRVR CONT INTR WHEEL DIFF LOCK ALL RRAXLES W/INDIVIDUAL SW	TRACTION DIFFERENTIAL
2560003	IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT	POWER DIVIDER LOCKOUT
2570356	3.56 RATIO	CARRIER/RATIO - REAR AXLE - RATIO
2681026	S462R 46000LB-MACK 20900KG CAST H5NG	REAR AXLE/SUSPENSION - TANDEM
2690054	54"	
2XBA1X	REAR SUSPENSION DEMAND, BASIC	REAR SUSPENSION DEMAND
3009005	MGM MODEL TR-T; TAMPER-RESISTANT BRAKE CHAMBERS	SPRING BRAKE CHAMBERS - VENDOR
38AJCX	MACK TANDEM CARRIER,CRD150/151	REAR AXLE DIFF CARRIER TYPE
3LAC1X	POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT	DIFFERENTIAL LOCK SWITCH
3ZAA1X	SPRING BRAKE INVERSION VALVE	SPRING BRAKE INVERSION VALVE
4790001	30/30 TYPE	SPRING BRAKE CHAMBERS - SIZE



Year Model: 2018 GU813  
 VIN: 1M2AX16C0JM041922  
 Order Number: 068603  
 Build Date:  
 In Service Date: 05/07/2018

4AAA1X	REAR SUSPENSION MANUFACTURER, MACK	REAR SUSPENSION DESIGN
5110001	CAM	REAR BRAKE TYPE
6980007	BENDIX KB ABS;W/AUTO TRAC CONTROL;W/DASH SW	ANTI-LOCK BRAKE SYSTEM
6GAAEX	DRV AXL SPNDL LOAD RATING R SRIES (23.6T TAND 11.8T SING)	DRIVE AXLE SPINDLE LOAD RATING
6MAA1X	REAR AXLE CASING WIDTH, STANDARD	REAR AXLE CASING WIDTH
7170001	ABS 4SENSOR/4MODULATOR SYSTEM REAR WHEEL END SENSORS	ABS SENSOR/CHANNEL OPTION
7WXB1X	SYNTHETIC OIL IN REAR AXLE, 75W-90	LUBRICANTS, REAR AXLE
8824600	46000 LB. 20900 KG.	REAR AXLE RATING
8830002	INTEGRATED TYPE	REAR AXLE SPINDLE NUT
8880001	PDLO	PDLO
9790001	FACTORY OPTION WELD ON ABS	WELD ON ABS BLOCK OPTION
9GAAAX	ABS 4 SENSORS & 4 MODULATORS (FRONT & REAR AXLES)	ABS SENSOR & MODULATOR
CAR0110	110000 LB (49895 KG) GCW/GVV	CARRIER APPLICATION
F1XK1X	REAR AXLE LOAD 21 TONNES (46000 LBS)	REAR AXLE LOAD
F2XN2X	2 AXLE, 2 DRIVE, LEAF, B-RIDE	REAR AXLE INSTALLATION
GWXDGX	BOGIE SPREAD, 1370MM (54.0")	BOGIE SPREAD, REAR
MAXCAX	BRAKE LINING MATERIAL, DRIVE, FED MOGUL ABEX 931-162/R301	BRAKE LINING MATERIAL DRIVE
N2AE1X	SPINDLE NUTS, MAIN AXLE, INTERGRATED	SPINDLE NUTS, MAIN AXLE
O6ABKX	21 TONNES, REAR SUSPENSION CAPACITY (46000 LBS)	REAR SUSPENSION CAPACITY
R1XK1X	DOUBLE REDUCTION REAR AXLE, MACK	REAR AXLE TYPE
R2XBDX	TANDEM AXLE 20.9T, GCW68T, D RED, MACK (S440/S462)	REAR AXLE
R3XA1X	CAST REAR AXLE CASING	REAR AXLE CASING TYPE
R6XB1X	REAR AXLE CASING, HEAVY DUTY	REAR AXLE CASING DUTY RATING
R9XA1X	REAR AXLE DIFF CARRIER HOUSING MATERIAL - IRON	DIFFERENTIAL HOUSING MATERIAL
SL30002	75W-90 SYNTHETIC LUBRICANT	LUBRICANT - TANDEM REAR AXLE
TAX6GX	RATIO 3.56, REAR AXLE	REAR AXLE RATIO
TUXH1X	DIFF LOCK BETWEEN WHEELS, ALL DRIVE AXLES, INDEPEND. SWITCHES	DIFFERENTIAL LOCK
U1AA1X	REAR BRAKE ADJUSTMENT, AUTOMATIC HALDEX	REAR BRAKE ADJ MANUFACTURE
U4XA1X	BRAKE, DRIVE REAR, DRUM CAST IRON	BRAKE, DRIVE, REAR
U8XA1X	REAR, DRUM BRAKE LINING 175MM	BRAKE DIMENSION, DRIVE
UEXA1X	REAR DRIVE BRAKES WITH DUST SHIELDS	DRIVE AXLE BRAKE DUST SHIELD
UGXA1X	AUXILIARY PARK, TWO EXTRA PARKING BRAKE CHAMBERS	AUX. PARKING BRAKE CHAMBERS
UJXB1X	LOW MOUNTED BRAKE CYLINDER	BRAKE CYL. LOCATION (CA)
UKXA1X	BASIC LENGTH STROKE	BRAKE CYLINDER STROKE LENGTH
UPXADX	MGM PARK BRAKE CHAMBER TR-T	PARK BRAKE CHAMBER MANUFACTURE
URXD1X	BRAKE VALVE VERSION, USA-BENDIX, WHERE POSSIBLE	BRAKE VALVE VERSION
V1AB1X	REAR BRAKE CHAMBER 30 / 30 SQ INCHES (SERVICE/EMERGENCY)	REAR BRAKE CHAMBER SIZE
V5AA1X	REAR WHEEL BRAKE TYPE, "S" CAM (CAST)	WHEEL BRAKE TYPE, REAR
WNX10X	WHEEL SENSOR ANTILOCK BRAKE SYSTEM	ANTILOCK BRAKE SYST.
WPXA1X	WITH TRACTION CONTROL	TRACTION CONTROL
WRXA1X	BENDIX ANTI LOCK BRAKE	ANTI LOCK BRAKE SYS. MFG
X7AA1X	REAR WHEEL BRAKE MANUFACTURER, MERITOR	WHEEL BRAKE MANUFACTURER, REAR
XUXA1X	REAR SUSPENSION HEIGHT STANDARD	REAR SUSPENSION HEIGHT
YJXA1X	PARABOLIC SPRING (NORMAL STIFFNESS) REAR	REAR SPRING TYPE
YLXA1X	REAR SUSPENSION SYSTEM, LEAF	REAR SPRING SYSTEM
YVXA1X	SHOCK ABSORBER, REAR	REAR SHOCK ABSORBER

AIR/BRAKE: 66 items

## ELECTRICAL

Code	Description	Family
UFXZ1X	TRAILING BRAKES WITHOUT DUST SHIELDS	TRAIL AXLE BRAKE DUST SHIELD

ELECTRICAL: 1 items

## TRAILER CONNECTIONS

Code	Description	Family
YAXJ1X	11.1 MM THICK FRAME	FRAME SECTION
YBXGAX	FRAME RAIL EXTERNAL HEIGHT (300MM)	FRAME RAIL SECTION-HEIGHT
YDX0XX	REAR FRAME LENGTH, 2895 MM	REAR FRAME LENGTH
ZIXA1X	CROSSMEMBER, BOGIE, STEEL	CROSSMEMBER, BOGIE, MATERIAL
OAXN1X	BOC AND INTERM X-MBR S WELDED I-BEAM, RIVETED GUSSETS	X-MBR CONFIG AND POSITION
Q5AA1X	REAR CROSSMEMBER, STRAIGHT FRAME END (BASIC)	REAR CROSSMEMBER OPTIONS
Q8XB1X	ACKERMAN SETTING 2 WB.(4827-5842 MM)(191-230 US INCHES)	ACKERMAN SETTING
R0AA1X	FUEL TANK, POLISHED	FUEL TANK FINISH
RAP7790	XM = 7790 MM, REAR AXLE POS	REAR AXLE POSITION
RFL2895	REAR FRAME LENGTH, 2895 MM	REAR FRAME LENGTH
U7CA2X	LH FUEL TANK FRONT FACE LOCATION @ X-MAIN4115, TANK REARWARD	LH FUEL TANK FACE LOCATION
X0XA1X	FRAME FLANGE WIDTH 90MM	FRAME FLANGE WIDTH
X6XA1X	STRAIGHT CUT TREATMENT, REAR FRAME	REAR FRAME TREATMENT
X8XB1X	STEEL FORWARD REAR SUSP. CROSSMEMBER	FORW REAR SUSP. X-MEMBER MTRL
J8XF3X	LHS FUEL TANK, 420L (111 US GAL)	FUEL TANK, LEFT HAND SIDE
JHXB1X	FUEL HOSES, WIRE BRAIDED	FUEL HOSES
KBXA2X	D SHAPE FUEL TANKS FOR DIA 560 (22 INCH) BRACKETS	FUEL TANK SHAPE
KDXA1X	SINGLE MOUNTED FUEL TANK, (LFUEL OR RFUEL)	FUEL TANK MOUNTING
KEXA1X	FUEL TANK MATERIAL, ALUMINUM	FUEL TANK MATERIAL
KFXA1X	NON-LOCKABLE FUEL TANK CAP	FUEL TANK CAP
KHXB1X	STAINLESS STEEL FUEL TANK STRAPS	FUEL TANK STRAPS MTRL



Year Model: 2018 GU813  
 VIN: 1M2AX16C0JM041922  
 Order Number: 068603  
 Build Date:  
 In Service Date: 05/07/2018

MAM0002	83" to 113"	AFTERFRAME RANGE
A0XK1X	FRONT FRAME LENGTH 1285MM	FRONT FRAME LENGTH
AXXA5X	1 AUX. CROSSMEMBER, SINGLE CHANNEL	AUX CROSSM. IN REAR OVERHANG
F3XT9X	XM = 7790 MM, REAR AXLE POS	REAR AXLE POSITION
FBXA1X	DIESEL	FUEL TYPE, LIQUID
FFL1285	FRONT FRAME LENGTH 1285MM	FRONT FRAME LENGTH
4YAAAX	FRAME FASTENERS-HUCK BOLTS	FRAME FASTENINGS
4ZAAAX	CROSSMEMBER, BOGIE, BASIC TYPE	CROSSMEMBER, BOGIE TYPE
5CAAAX	155MM, FRONT FRAME EXTENSION, BOLTED ON (6 INCHES)	FRONT FRAME EXT. (BOLTED ON)
6DAABX	CAB FOOTSTEP MATERIAL/FINISH, POLISHED ALUMINUM	CAB FOOTSTEP MATERIAL/FINISH
6LBB1X	FUEL TANK VENTILATION, BASIC	FTVE-BAS
7XBA1X	FUEL TANK DRAINAGE, BASIC	FUEL TANK DRAINAGE
8EXB1X	STEEL INTERMEDIATE CROSSMEMBER	INTERMEDIATE X-MEMBER MATRL
2210001	POLISHED ALUMINUM	FUEL TANKS - BRIGHT FINISH
2230001	BRIGHT FINISH STEPS & BRIGHT FINISH STRAPS	STEPS (BRIGHT) - FUEL TANK
2241035	155MM (6") FRONT FRAME EXTENSION, BOLT ON	FRONT FRAME EXTENSION
2430008	ONE PIN TOWING DEVICE, FRONT	TOWING DEVICE - FRONT
2710218	218"	WHEELBASE
2741028	STEEL - 300MM X 90MM X 11.1MM -- (11.81" X 3.54" X 0.437")	FRAME RAILS
2792109	EXTENDED-STYLIZED-BRIGHT FINISH STEEL W/ STONE GUARD	BUMPER - FRONT
2811056	BOC AND INTERMEDIATE XMBRS = HEAVY DUTY I-BEAM	CROSSMEMBERS
288A111	111 GAL ALUM, (420 LITERS) SLEEVED, D-SHAPE, 22IN (560MM)	FUEL TANK - LH
2900000	OMIT RH FUEL TANK	FUEL TANK - RH
2HXA1X	BASIC MUDFLAP, FRONT AXLE	MUDFLAP, FRONT AXLE
2RAA1X	BASIC FUEL LEVEL SENDER MOUNTED ON LH TANK	FUEL LEVEL SENDER UNIT
3740087	87"	AF (OVERHANG)
3800007	BASIC SOLUTION TRUNNION BRACKET, STD HEIGHT	TRUNNION BRACKET
4DXM6X	BUMPER, STEEL CHROME PLATED EXTENDED, STYLIZED	FRONT BUMPER
4EXD1X	ONE PIN TOWING DEVICE, FRONT	TOWING DEVICE, FRONT
12AA1X	FUEL LINE OPTION, SINGLE	FUEL LINE OPTIONS
14AA1X	FUEL FILL SYSTEM, BASIC	FUEL FILL SYSTEM

TRAILER CONNECTIONS: 52 items

## PTO

Code	Description	Family
U2XA2X	ALUMINUM AIRTANK, POLISHED	AIRTANK MATERIAL
UWXC1X	PETCOCK DRAIN VALVE, ON BRAKE SYS TANKS	AIRTANK DRAIN VALVE
VHXEDX	WABCO AIR DR, 1200UP W/ T CUT OFF VALVE, W COALESC OIL FILTE	AIR DRYER - MANUFACTURER
KOXA1X	AIR DRYER POSITION STANDARD	AIR DRYER POSITION
8HAC1X	AIRTANK ARRANGEMENT, IN FRAME	AIRTANK ARRANGEMENT
3020002	TWO VALVE SYSTEM	BRAKE CONTROL VALVE SYSTEM
1411000	INBOARD W/ TANKS UNDER BBOX	RELOCATE AIR RESERVOIRS
1JAABX	PARK BR VALVE, 1 YELLOW KNOB, ALL PARK & 1 RED, TRAILER PARK	PARKING BRAKE VALVE

PTO: 8 items

## SPECIALTY EQUIPMENT

Code	Description	Family
NEXC1X	TAIL LAMP, MULTIPURPOSE	TAIL LAMPS
Q8CH1X	CHASSIS WIRING HARNESS CASING, HEAVY DUTY	CHASSIS WIRING HARNESS CASING
LSXH1X	DRL WHEN ENG RUNNING, PARK BRAKE OFF	LOW BEAM
LVX40X	SYMMETRIC HEAD LAMP	HEADLAMP ASYMMETRIC
EAXB1X	WIRING FOR TWO AUX. SWITCHES	AUXILIARY SWITCH WIRING
5FBB5X	TRUCKLITE LED SIGNAL UNDER DOOR AND STD COWL MTD.	MARKER LAMP DEMANDS
5RXA5X	BACK UP ALARM 90/78 DB (2 LEVELS OF SOUND)	BACK-UP ALARM
9050003	WITH DAYTIME RUNNING LIGHTS, PARK BRAKE SET (ENGAGED) & ENG	DAYTIME RUNNING LIGHTS

SPECIALTY EQUIPMENT: 8 items

## CAB

Code	Description	Family
WHXQ2X	TRAILER BRAKE CONNECTIONS POSITION, END OF FRAME	TRAILER CONNECTION POSITION
N5XI5X	WORKING LAMP CAB BACK, 2 LAMPS,WHITE,RECES,LOW MTD,TRUCKLITE	WORKING LAMP
4HAA1X	ELECTRICAL RECEPTACLE, SINGLE, STANDARD SAE TYPE	ELECTRICAL RECEPTACLE TYPE
5170002	TRAILER AIR BRAKE CONNECTIONS, EOF	TRAILER CONNECTIONS
53XBAX	TRAILER BRAKE CONNECTION	TRAILER BRAKE CONNECTION
54XZ2X	7-POL ELECTRICAL TRAILER CONNECTOR (24N)	TRAILER ELECTR. CONNECTORS
7KBB1X	TRAILER EL RECEPTACLE LOCATION, EOF	TRAILER EL RECEPTACLE LOCATION
81AB1X	WORKING LAMP TECHNOLOGY, LED	WORKING LAMP TECHNOLOGY
3210002	SINGLE 7 PINS STANDARD SAE TYPE, EOF	TRAILER RECEPTACLE
3229017	DUAL TRUCKLITE SUPER-44 LED RECESSED IN BOC W/RUBBER GROMMET	TRAILER HOOK-UP LIGHT
TYXG3X	PTO CONTROL, SINGLE, EL & AIR PREP KIT, TRANSM MTD SOL VALVE	POWER TAKE OFF CONTROL
L3XAJX	EL PREP KIT BODY BUILDER MODULE, CMPLT (29PIN CONN, BOC)	ELECTRICAL CENTER OUTLET
9970001	CUSTOMER GUARANTEED WEIGHT, MUST BE CERTIFIED WEIGHT	CERTIFIED WEIGHT
B830025	BODY LINK3 W CAB PASS THRU	BODY BUILDER INTERFACE
D4AA1X	TRANSMISSION PTO FUNCTIONS BASIC	AMT/AUTOMATIC TRANS PTO FUNCT.
8FXU1X	UNIFORM LOAD NO ADAPTATION	TRANSPORT ADAPTATION
0150000	NO FRAME MODIFICATIONS PROVIDED	FRAME MODIFICATION
1911403	M-DRIVE SINGLE PTO PREP KIT W/ ILLUMINATED DASH MOUNTED SWIT	PTO - CONTROL



Year Model: 2018 GU813  
 VIN: 1M2AX16C0JM041922  
 Order Number: 068603  
 Build Date:  
 In Service Date: 05/07/2018

PSXZ1X	NO HUBODOMETER PROVIDED	ODOMETER
Q2AA1X	CAB STEP,BASIC	CAB STEP VERSION
Q4XADX	AUX. WIN. DOOR ON RIGHT SIDE NON STG WHL POS. DEPEND	DOOR WINDOW FRONT
VPXA1X	TINTED GLASS, ALL DOORS - GREEN	GLASS COLOUR DOORS
X6CB1X	FIRE-EXTINGUISHER MANUFACTURE, AMEREX	FIRE EXTINGUISHER MANUFACTURE
FKX50X	CAB POS, MEDIUM X COORD (LONGITUD) LOW Z COORD (HEIGHT)	CAB POSITION
IOXAJX	DOME LAMP, INTERIOR, 2EA SIDE, RED FLOOR LIGHTING & SWITCHES	DOME LAMP, INTERIOR
I2AAAX	BRAKE PRESSURE APPLICATION GAUGE, ELECTRONIC	SERVICE TRAILER BRAKE PRESSURE
I6AA1X	AUXILIARY PNEUMATIC OUTLET, IN CAB	AUXILIARY PNEUMATIC OUTLET CAB
N6XR4X	STD+ENG&TRANS OIL TEMP,EXH PYRO,AIR MANIF & AIR APPLIC PRES	GAUGE PACKAGES
N8XB1X	KILOMETER/HOUR, MILES/HOUR SPEEDOM. GRADUATION	SPEEDOM. GRADUATION
ASXABX	TINTED GLASS, LOW (LEVEL OF TINTING)	REAR WINDOW FEATURES
B030001	FURNISH KEYLESS ENTRY SYSTEM	KEYLESS ENTRY
B4BAAX	GAUGES GRADUATION (EXCL. SPDM), IMPERIAL UNITS	GAUGES GRADUATION (EXCL. SPDM)
BHXAAAX	CIGAR LIGHTER	CIGARLIGHTER
D9AAAX	EXHAUST PYROMETER GAUGE	GAUGE EXHAUST PYROMETER
E0AAAX	TRANSMISSION OIL TEMP GAUGE	GAUGE TRANSM. OIL TEMP
E2AAAX	MANIFOLD PRESSURE GAUGE-ELECTRICAL	GAUGE MANIFOLD PRESSURE
5870104	BF EXT CAB GRAB HANDLES, BLK HANDLE RH INTERIOR WS POST, BLK	GRAB HANDLES
6IAABX	CAB GRAB HANDLES, BRIGHT FINISH	CAB GRAB HANDLES FINISH
7860007	5LB (ABC RATED/AMEREX) MOUNTED BETWEEN LH SEAT BASE & DOOR;	FIRE EXTINGUISHER
88AA1X	EMBLEMS OPTION, COMPLETE	EMBLEMS OPTION
28XC1X	STATIONARY GRILLE	FRONT GRILLE
2940007	ELECTRONIC SENDING UNIT MTD ON L.H. TANK	GAUGE - FUEL LEVEL
2KXB1X	EXTENDED FRONT WHEEL OPENING	FRONT WHEEL OPENING
2ZX25X	TINTED WINDOW GLASS	GLASS COLOUR
4000018	GRILL MTD BRIGHT FINISH BARS W/ BRIGHT FINISH SURROUND,	GRILLE
4031001	BLEND AIR HEATER	HEATER
40XAIX	HAND FIRE EXTINGUISHER 2.2 KG (5LB) ENGLISH DECAL, ABC	FIRE EXTINGUISHER
4AXB1X	MANUAL CONTROLLED CLIMATE CONTROL AIR CONDITION	CLIMATE UNIT
4FAA1X	HOOD RADIATOR SURROUND TRIM, BRIGHT FINISH	HOOD RADIATOR SURROUND TRIM
0160000	Day Cab (No Sleeper)	SLEEPER BOX
0EAA1X	AIR INTAKE GRILLE, BRIGHT FINISH	AIR INTAKE GRILLE, FINISH
0IAAAX	ASHTRAY	ASHTRAY
0JAD1X	CAB GRAB HANDLES, BASIC W/DRIVER SIDE DOOR DIAGONAL BAR	CAB GRAB HANDLE
0KAA1X	FLOOR COVER, CENTER, POLYURETHANE	FLOOR COVER, CENTER MATERIAL
1443000	CONVENTIONAL CAB, DAYCAB	CAB
1450001	TINTED WINDSHIELD, SIDE WINDOWS, & REAR WINDOW	GLASS - CAB WINDOW
1731001	BLEND AIR HVAC	AIR CONDITIONING/HEATER
1840007	POLYURETHANE FLOOR MAT	FLOOR COVERING
1980003	METRIC PREDOMINANT- ROADSPEED W/ U.S. UNITS FOR ALL OTHER	GAUGES - METRIC
1XAA1X	FIRE EXTINGUISHER LOCATION, DRIVER SEAT	FIRE EXTINGUISHER LOCATION
1ZAB1X	DOOR STORAGE COMPARTMENT, BOTH SIDES	DOOR STORAGE COMPARTMENT
2060001	EXHAUST PYROMETER GAUGE	GAUGE - EXHAUST PYROMETER
2140001	TRANSMISSION OIL TEMP GAUGE	GAUGE-TRANS.OIL TEMP.
2170003	MANIFOLD PRESSURE GAUGE - ELECTRICAL	GAUGE - MANIFOLD PRESSURE

CAB: 64 items

### CAB - SLEEPER BOX

Code	Description	Family
Y6CB1X	HEATED MIRROR TIME-OUT, 60 MIN	HEATED MIRROR TIME-OUT
P1XE1X	FIRST OPTION LANG.SPANISH	DRIVER INFO.FIRST OPTION LANG.
P2XD1X	SECOND OPTION LANG.FRENCH	DRIVER INFO.SECOND OPTION LANG
IFXB1X	REAR WALL STORAGE COMPARTMENT ,FIXED	REAR WALL STORAGE COMPARTMENT
LXXD1X	2 SINGLE ELECTRIC HORN, DIFFERENT TONES	HORN, ELECTRICAL
LZXJ1X	AIR HORN, ROOF MOUNTED, 2 SINGLES, WITH PROTECTIVE SHIELD	AUX. HORN
N1XB5X	DASH, DUAL OUTLET- 12V	ELECTRICAL DASH OUTLET
9HAA8X	AUDIO WAVEBANDS FM 87,75+87,9-107,9 MHZ. AM 530-1710 KHZ	AUDIO WAVEBANDS
C0J0012	CO-PILOT DRVR DISP ENHANCED LCD DISP W/4 BUTTON STALK CONTRO	INSTRUMENT CLUSTER DISPLAY
CBXD1X	DRIVER INFO DISPLAY COPILOTE	DRIVER INF. DISPLAY SCREEN
DBXA2X	ACCENT STRIP (WOOD) ON DASH	DASHBOARD
E3XD1X	FRWRD OVRHD STG, 2 STG COMPMT W/NET, 1 RADIO SHLF CNTR	FORWARD OVERHEAD STORAGE
F8XC8X	RADIO, AM/FM, CD-PLAYER, MP3, WEATHER BAND	AUDIO SYSTEM
4UAB1X	HOOD LATCH FINISH, BRIGHT	HOOD LATCH FINISH
5BXB5X	MIRROR MTD ANTENNA CB, LEFT, 48" LENGTH	ANTENNA, CB RADIO
5CXAEX	SPEAKER LOCATION, BEHIND DOORS, MIDDLE HIGH SIDE PANEL	SPEAKER LOCATION
5EAA1X	AUDIO INTEGRATED HANDSFREE PHONE, BLUETOOTH	AUDIO INTEGRAT. PHONE HANDSFRE
5FAA1X	AUDIO COMMUNICATION CONNECTOR, USB AUDIO	AUDIO COMMUNICATION CONNECTOR
5GAA1X	AUX.LINE IN CONNECTOR IN AUDIO	AUX AUDIO CONNECTOR
5JXAIX	CB MOUNTING, OVERHEAD COMP, MOUNT PLATE, REMOVABLE	COM.RADIO PREP KIT (CB)
65AA1X	AIR HORN, FINISH, CHROMED/BRIGHT FINISH	AUX. AIR HORN FINISH
73AJ1X	ANTENNA, RADIO, MIRROR MTD, RIGHT, 48" LENGTH	ANTENNA, RADIO
89AA1X	ENGINE COMPARTMENT INSULATION, HOOD	HOOD INSULATION, CLIMATE
8BXA1X	2 KEYS PROVIDED PER TRUCK (IGNITION AND DOOR LOCKS)	KEY QUANTITY PER TRUCK
2DX90X	REAR CAB SUSPENSION, AIR	CAB SUSPENSION REAR



Year Model: 2018 GU813  
 VIN: 1M2AX16C0JM041922  
 Order Number: 068603  
 Build Date:  
 In Service Date: 05/07/2018

3129010	(5) GROTE LED LAMPS; W/O FULL ROOF FAIRING OR HIRISE SLEEPE	IDENTIFICATION/CLEARANCE LIGHTS
3400014	GRANITE HOOD - COMPOSITE MATERIAL W/O HOOD HATCH	HOOD AND FENDERS
3GX1X	HEATED, EL. OPERATED EXT. MIRRORS, BOTH SIDES	EXTERIOR MIRROR FEATURES
3HXB1X	WIDE-ANGLE MIRROR ,BOTH SIDES	AUXILIARY MIRROR,WIDE-ANGLE
3KXFCX	INTERIOR TRIM 3, HIGH	INTERIOR TRIM LEVEL
3RXA3X	INTERIOR TRIM GREY	CAB INTERIOR TRIM COLOUR
3UAD1X	ROOF LAMP, CURVED, GROTE	ROOF LAMP STYLE & MFG.
3VAB1X	ROOF LIGHT BULB, LED	ROOF LIGHT BULB
3XCA1X	INTERIOR ILLUMINATION TYPE, INCANDESCENT	INTERIOR ILLUMINATION TYPE
43X40X	RECTANGULAR CONVEX ABOVE RH DOOR WINDOW	CLOSE VIEW MIRROR, SIDE OF CAB
45AA1X	EXT. MIRROR HOUSING SHAPE, AERO WITH EMBLEM	EXTERIOR MIRROR HOUSING SHAPE
47AD1X	MAIN MIRROR HOUSING FINISH, CHROMED	MAIN MIRROR HOUSING FINISH
48AA1X	MAIN MIRROR MARKING LAMP, AMBER	MAIN MIRROR MARKING LAMP
0043202	CHAMPION SLATE GRAY BUTTON-TUCKED	INTERIOR TRIM LEVELS
0MAA1X	HEADLINER, VINYL	HEADLINER MATERIAL
0TAAEX	INTERIOR TRIM PATTERN 5 (CHAMPION)	INTERIOR TRIM PATTERN
13AB1X	DOOR OPENING OPTION, REMOTE CONTROL	DOOR OPENING OPTIONS
1529045	BULLDOG STYLIZED MIRRORS LH HEAT & RH HEATED,MOTRIZED AND IL	MIRRORS - EXTERIOR
1549014	MACK-2-RECT SINGLE TRUMPETCHROME PLATED STEEL W/SNOW SHIELDS	HORN - AIR
1600001	ALL CHASSIS KEYPED AT RANDOM - 2 KEYS	KEYED ALIKE CHASSIS
1746101	PREMIUM STEREO, AM/FM, CD-PLAYER, MP3, WEATHER BAND, BLUETOO	RADIO/RADIO ACCOMODATION
1WAB1X	POWER LEAD, SWAY TYPE, HEADLINER MTD	POWER LEADS
20XA1X	ALL CHASSIS KEYPED AT RANDOM	KEY TYPES FOR DOORS
21XA1X	AUX. REAR WINDOW - FIXED	AUXILIARY REAR WINDOW

CAB - SLEEPER BOX: 49 Items

## CAB EXTERIOR

Code	Description	Family
NIXA1X	WIPER SWITCH 4 POSITION (GENERIC 2 SPEED PLUS INTERMITTENT F	WIPER SWITCH
NPXB1X	SELF CANCELLING TURN SIGNAL	TURN SIGNALS
OUXC1X	SEAT BELT DRIVER SEAT, ORANGE	SAFETY BELT DRIVER SEAT
OXXA2X	SAFETY BELT PASSENGER, ORANGE	SAFETY BELT PASSENGER SEAT
U3CD2X	DS SEAT UPH, ULTRA-LEA SIDE&FRONT,CLOTH CUSHION,CARPET BACK	DRIVERS SEAT UPHOLSTERY
U4CD2X	PS SEAT UPH, ULTRA-LEA SIDE&FRONT,CLOTH CUSHIONS,CARPET BACK	PASSENGERS SEAT UPHOLSTRY
U7XB1X	INTERNAL SUNVISOR FRONT, BASIC (NO MIRROR), BOTH SIDES	SUNVISOR INTERIOR, FRONT
WSXBAX	SPLITTED WINDSCREEN	WINDSCREEN TYPE
XXRB1X	ADJUSTABLE STEERING WHEEL, 2 MOTIONS	STEERING WHEEL ADJUSTMENT
JQXAAX	WASHER RESERVOIR BASIC POSITION	WASHER RESERVOIR POSITION
D2XA1X	WIPER BLADE, BASIC	WIPER BLADE STYLE
4NXF1X	EXTERIOR SUNVISOR	SUNVISOR, EXTERIOR
4PXF1X	3POINTS, BOTH SEATS, NO HEIGHT ADJ	SEAT BELT
5929003	LAP & SHOULDER (BOTH SEATS) TO BE ORANGE IN COLOR	SEAT BELTS/RETRACTORS
78AA6X	STEERING WHEEL MATERIAL, LEATHER	STEERING WHEEL MATERIAL
7RAABX	EXTERIOR SUNVISOR FINISH-BRIGHT	EXTERIOR SUNVISOR FINISH
2QAA1X	IGNITION TYPE, KEY	IGNITION TYPE
2WXA9X	DIAMETER 460 MM STEERING WHEEL	STEERING WHEEL
2XX35X	ELECTRICAL WINDOW LIFT, BOTH DOORS	WINDOW LIFT
34XAAX	FIXED PASSENGER SEAT, INTEGRATED STORAGE BOX	PASS SEAT SUPPORT
3AXA1X	CENTRAL DOOR LOCKING	DOOR LOCK CAB
3PXA1X	SEAT ARMREST SINGLE, DRIV(DRIVER SEAT ONLY)	SEAT ARMREST
3ZXG2X	DRIVERS SEAT, AIR SUSPENDED	DRIVER SEAT SUPPORT
4859007	CLOTH W/ ULTRA-LEATHER, CAB INTERIOR DEPENDANT COLOR, DRIVER	SEAT COVERING
05AGAX	2 REARWARDS FACING WORKING LAMPS	CHASSIS MOUNTED WORKING LAMPS
0HAA1X	SEAT SUPPORT, DUST COVER, DRIVER SIDE	SEAT SUPPORT, DUST COVER
1460008	POWER W/DOOR LOCK (LH&RH)-ELEC	WINDOW CONTROLS
1480011	TWO SPEED ELECTRIC MOTOR W/INTERMITTENT FEATURE	WINDSHIELD WIPERS
1579001	STAINLESS STEEL	SUN VISOR - EXTERIOR
1610014	2 SPOKE LEATHER GRIP, BRIGHT CHROME SPOKES, W/O SWITCHES	STEERING WHEEL
1962516	AIR-SEARS SEATING ATLAS80 HIGHBACK,4CHAMBER AIR LUMBAR	SEAT - DRIVER
1971114	FIXED-MACK (MID-BACK) W/INTEGRAL STORAGE COMPARTMENT	SEAT - RIDER
1DAB3X	SEAT MFG & SERIES, DRIVER, SEARS SEATING, ATLAS 80	SEAT MFG. AND SERIES, DRIVER
1EAAAX	DRIVER SEAT UPHOLSTERY COLOR, NON SPECIFIED (INT DEPEND)	DRIVER SEAT UPHOLSTERY COLOR
1FATBX	DRIVER SEAT FEAT,HI BACK,STD WIDTH,4 CHAMBER AIR LUMBAR ADJ	DRIVER SEAT FEATURES
1GAAAX	SEAT MFG. & SERIES, PASSENGER, BOSTROM MACK	SEAT MFG. & SERIES, PASSENGER
1HAAAX	PASSENGER SEAT UPH. COLOR, NON SPECIFIED (INT DEPEND)	PASSNGR SEAT UPHOLSTRY COLOR
1IAABX	PASS SEAT FEATURES, MID BACK, CUSHION ADJ	PASSENGER SEAT FEATURES

CAB EXTERIOR: 38 Items

## AERODYNAMIC DEVICES

Code	Description	Family
7680000	OMIT SLEEPER BOX WINDOW	SLEEPER BOX - WINDOW

AERODYNAMIC DEVICES: 1 Items

## COMMUNICATION SYSTEMS

Code	Description	Family
FMXA1X	HUB/WHEEL ISOLATOR DRIVE- NYLON	HUB/WHEEL ISOLATOR DRIVE
H8CB1X	TIRE SPEED LIMIT BASIC	TIRE SPEED LIMIT REDUCED



Year Model: 2018 GU813  
 VIN: 1M2AX16C0JM041922  
 Order Number: 068603  
 Build Date:  
 In Service Date: 05/07/2018

N68FCX	M854, FRONT TIRE TREAD, BRIDGESTONE, ON/OFF ROAD USAGE	FRONT TIRE TREAD
N78ENX	M799, DRIVE TIRE TREAD, BRIDGESTONE, ON/OFF ROAD USAGE	DRIVE TIRE TREAD
BDXAMX	WHEEL STUDS BASIC LENGTH	WHEEL STUDS
FIXA1X	HUD/WHEEL ISOLATOR FRONT - NYLON	HUB/WHEEL ISOLATOR FRONT
4OAB9X	BASIC, 10 HAND HOLES WHEEL STYLE, FRONT	WHEEL STYLE, FRONT
4QAD2X	WHEEL RIM OFFSET, FRONT 6.42 INCHES	WHEEL RIM OFFSET, FRONT
4WCA1X	GHG STEER TIRE CATEGORY, ADVANCED LOW ROLLING RESISTANCE	GHG STEER TIRE CATEGORY
4XCE1X	GHG DRIVE TIRE CATEGORY, BASIC ROLLING RESISTANCE	GHG DRIVE TIRE CATEGORY
4YCA1X	GHG AUXILIARY TIRE CATEGORY, ADVANCED LOW ROLLING RESISTANCE	GHG AUXILIARY TIRE CATEGORY
5313135	22.5X13.00 ALUM.DISC; 10HOLES HUB PILOT;11.25"BC;10HANDHOLE	WHEELS - FRONT
56AAMX	3764 KG (8,300 LB) WHEEL LOAD MAX DRIVE PER WHEEL	WHEEL LOAD MAX DRIVE PER WHEEL
57AD1X	WHEEL RIM OFFSET, DRIVE 6.60 INCHES	WHEEL RIM OFFSET DRIVE
58AD1X	BASIC, 10 HAND HOLES WHEEL STYLE DRIVE	WHEEL STYLE, DRIVE
60AAJX	5805 KG (12,800 LB) WHEEL LOAD MAX, FRONT PER WHEEL	WHEEL LOAD MAX, FRONT
7ECD9X	INSIDE WHEEL TURNING ANGLE, 36 DEGREES	INSIDE WHEEL TURNING ANGLE
7MXCKX	472.0 REAR TIRE REVS PER MILE	REAR TIRE REVS PER MILE
80AA1X	WHEEL NUT & FINISH BASIC, FRONT	WHEEL NUT FINISH, FRONT
9001376	445/65R22.5 M BRIDGESTONE M854 (not valid after Sept 10, 2	TIRES BRAND/TYPE - FRONT
9011338	11R24.5 H BRIDGESTONE M799 (DRIVE ONLY)	TIRES BRAND/TYPE - REAR
2350001	POLISHED ALUMINUM, CONCAVE SIDE, ALL WHEELS	WHEELS - POLISHED (REAR)
2503000	ALUMINUM (DISC) FRONT WHEEL MATERIAL	FRONT WHEEL TYPE
2673000	ALUMINUM (DISC) DRIVE WHEEL MATERIAL	REAR WHEEL TYPE
3463784	24.5 X 8.25 ALUM DISC LVL ONE 10-HP; 11.25" BC.6.60"OUTSET,"	WHEELS - REAR
3PBA1X	WHEEL NUT BASIC FINISH, REAR	WHEEL NUT FINISH, REAR
44AA1X	WHEEL FINISHING REAR, POLISHED	WHEEL FINISHING, REAR
49AA1X	WHEEL FINISHING FRONT, POLISHED	WHEEL FINISHING, FRONT
01XC1X	DIAM 22.5 INCH, FRONT WHEEL & TIRE	WHEEL & TIRE DIAMETER FRONT
02XD1X	DIAM 24.5 INCH, DRIVE WHEEL & TIRE	WHEEL & TIRE DIAMETER DRIVE
04XC1X	WHEEL BRAND FRONT, ALCOA	WHEEL BRAND, FRONT
05XC1X	WHEEL BRAND DRIVE, ALCOA	WHEEL BRAND, DRIVE
0AXB1X	DISC WHEEL PCD 286 MM HUB PILOT	WHEEL TYPE FRONT
0XB1X	DISC WHEEL PCD 286 MM HUB PILOT	WHEEL TYPE DRIVE
0DXA5X	DRIVE WHEEL, SAME MATERIAL & FINISH	DRIVE WHEEL MATERIAL SAME/MIXED
0GXB1X	ALUMINUM WHEEL, FRONT	WHEEL MATERIAL FRONT
0HXB1X	ALUMINUM WHEEL, DRIVE	WHEEL MATERIAL DRIVE
0PXL1X	WHEEL WIDTH 13.00 INCH	WHEEL DIMENSION FRONT
0RXE1X	WHEEL WIDTH 8.25 INCH	WHEEL DIMENSION DRIVE
15XABX	TIRE INFLATION VALVE, STANDARD	TIRE INFLATION VALVE
1JXLSX	TIRE 445/65, FRONT AXLE	TIRE DIMENSION FRONT
1KXAAx	LOAD RANGE M, FRONT TIRE	TIRE LOAD CAPACITY, FRONT
1NX2RX	TIRE 11.00, DRIVE AXLE	TIRE DIMENSION DRIVE
1RXH1X	LOAD RANGE H, DRIVE TIRE	TIRE LOAD CAPACITY, DRIVE
1TXA1X	BRIDGESTONE, FRONT TIRE	TIRE MAKE FRONT
1UXA1X	BRIDGESTONE, DRIVE TIRE	TIRE MAKE DRIVE

COMMUNICATION SYSTEMS: 46 items

## ENGINE ELECTRONICS

Code	Description	Family
U5CD1X	REMOTE SOFTWARE UPGRADE ENABLED, ALL RSVDL ALLOWED	REMOTE SW UPGRADE SERVICES
V4CD1X	SIMCARD WITH AT/T SUBSCRIPTION	TELE COMMUNICATION SUBSCRIPT.
M300004	GUARDDOG CONNECT WITH 4G/LTE AND WLAN SYSTEM WITH DIAGNOSTIC	TELEMATIC GATEWAY
5JB5X	GATEWAY WITH 4G/LTE AND WLAN	TELEMATICS COMMUNICAT GATEWAYS
2JCA1X	REMOTE DIAGNOSTIC SERVICES, ENABLED	REMOTE DIAG SERVICES
3FCZ1X	COMM SYS NOTIFICATION, DISABLE - MESSAGE RECIEVED FUNCTION	COMMUNICATION SYS NOTIFICATION
3YAA1X	DISPLAY FEATURES, LIMITED, NO DRIVER ACCESS LEVEL 1	DISPLAY FTRS ACCESS, LMTD DRVR

ENGINE ELECTRONICS: 7 items

## TRANSMISSION ELECTRONICS

Code	Description	Family
Y3CC5X	105 KM/H PEDAL ROAD SPEED LIMITER (65MPH)	PEDAL RSL SETTING
Y9CR1X	TRANSMISSION PTO1 SPLIT GEAR RANGE,(KEYPAD)REMOTE CONTROLLED	TRANS PTO1 SPLITTER RANGE
Z1CR1X	TRANSMISSION PTO2 SPLIT GEAR RANGE,(KEYPAD)REMOTE CONTROLLED	TRANS PTO2 SPLITTER RANGE
R5CZ1X	VEHICLE ASSISTANCE SERVICE DISABLED	VEHICLE ASSISTANCE SERVICE
W9A01X	PERIODIC TRIP LOG, DAY 1 OF THE MONTH	PERIODIC TRIP LOG DAY OF MONTH
WMXA1X	COOLANT TEMP, ENGINE SHUTDOWN	COOLANT TEMP, ENGINE SHUTDOWN
W0XA1X	OIL PRESSURE, ENGINE SHUTDOWN	OIL PRESSURE, ENGINE SHUTDOWN
X0AB0X	INCREASE 10 MINUTE MAXIMUM TIME	IDLE BATTERY CHECK
X3CB1X	DRIVER ID FUNCTION, DISABLED	DRIVER ID FUNCTION
X8CZ1X	ENGINE HIGH IDLE SPEED IN UPPER GEARS, DISABLED	HIGH IDLE SPEED-UPR GRS FEATUR
Y1CZ1X	ACCELERATION LIMITING FEATURE, DISABLED	VEHICLE ACCELERATION LIMITING
G0AZ1X	PTO 1ST, AUTO SET SINGLE SPEED, DISABLE	PTO 1ST,AUTO SET SINGLE SPEED
G1AABX	ENGINE IDLE DELAY TO START LOG, 2 MIN	ENGINE IDLE DELAY TO LOG
G2AAGX	ENGINE OVERSPEED, FUELED, TIME LOG IF ABOVE 2100 RPM	ENGINE OVERSPEED,FUELED, LOG
G3AAPX	VEHICLE OVERSPEED, FUELED, TIME LOG IF ABOVE 70MPH (113KMH)	VEHICLE OVERSPEED, FUELED, LOG
G4AAUX	VEHICLE OVERSPEED,ALL COND, TIME LOG IF ABOVE 75MPH (121KMH)	VEHICLE OVERSPEED,ALL COND,LOG
G5AAHX	ENGINE OVERSPEED, ALL CONDITIONS, TIME LOG IF ABOVE 2200 RPM	ENGINE OVERSPEED,ALL COND, LOG





Year Model: 2018 GU813  
 VIN: 1M2AX16C0JM041922  
 Order Number: 068603  
 Build Date:  
 In Service Date: 05/07/2018

G8AABX	PTO 2ND, MINIMUM ENGINE SPEED, 600 RPM	PTO 2ND, MINIMUM ENGINE SPEED
G9AABX	PTO 2ND, SPEED RAMP RATE 100 RPM/SEC	PTO 2ND, SPEED RAMP RATE
H0AABX	2ND PTO, MAX ROAD SPEED, 10 MPH (16 KPH)	PTO 2ND, MAX ROAD SPEED
H4AZ1X	PTO 2ND, AUTO SET SINGLE SPEED, DISABLE	PTO 2ND,AUTO SET SINGLE SPEED
H5AAGX	PTO 2ND, ROAD SPEED LIMIT, 97 KMH (60 MPH)	PTO 2ND, ROAD SPEED LIMIT
H6AAEX	PTO 2ND, SINGLE SPEED SETTING, 1000 RPM	PTO 2ND, SINGLE SPEED SETTING
H7AANX	PTO 2ND, MAX ENGINE SPEED, 2100 RPM	PTO 2ND, MAX ENGINE SPEED
JCXE6X	105 KM/H ROAD SPEED LIMITER (65MPH)	ROAD SPEED LIMITER SETTING
JDXA1X	CRUISE CONTROL	CRUISE CONTROL
JFXLLX	MAX CRUISE, 105 KPH (65 MPH)	CRUISE CONTROL, MAX SPEED
K4CDAX	VEHICLE UPTIME ENABLED AUTOM. SERVICE ACTIVATION SETTING1	VEHICLE UPTIME SETTINGS
K5XA2X	ENGINE PROTECTION (SHUTDOWN)	ENGINE PROTECTION SYSTEM
K7XH3X	IDLE CONTROL, 650 RPM	ENGINE IDLE CONTROL
L1CZ1X	DISABLE POWER DIVIDER LOCK OUT (PDLO) ROAD SPEED LIMIT	PDLO ENGAGE VLS FEATURE
L2CA1X	POWER DIVIDER LOCK OUT (PDLO) ROAD SPEED LIMIT 8KMH (5MPH)	PDLO ENGAGED VLS
M3CA1X	IDLE SHUTDOWN ABS TAMPER CHECK, ENABLED	IDLE S/D ABS TAMPER CHECK
M4CB1X	IDLE SHUTDOWN OVERRIDE UPTO 20% ENGINE LOAD THRESHOLD	IDLE S/D OVERRIDE %ENGINE LOAD
A3AZ1X	ENGINE IDLE SHUTDOWN, DISABLE	IDLE SHUTDOWN
A4AAEX	5 MIN. WARM UP TIME DELAY	IDLE S/D WARM-UP TIMER
A4BAAX	DETECTION OF SPEED SENSOR TAMPERING, ENABLE	DETECTION SPEED SENSR TMPRNG
A6AABX	ENGINE IDLE SHUTDOWN TIME OVERRIDDEN IF PTO ACTIVE	IDLE S/D IF PTO ACTIVE
A8AALX	38C DEG (100F), WARM UP TEMP DELAY	IDLE S/D IF WARM-UP TEMP
B0AAAX	ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT	IDLE SHUTDOWN IF POWER > LIMIT
B1ACAX	30 SEC IDLE S/D WARNING TIME	IDLE S/D WARNING TIME
B2AZ1X	ENGINE IDLE COOLDOWN, DISABLE	ENGINE IDLE COOLDOWN
B3ABAX	ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH)	EL HD THROTTLE,MAX ROAD SPEED
B4ADAX	ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM	EL HAND THROTTLE,MIN ENG SPEED
B6ACEX	ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM	EL HAND THROTTLE,MAX ENG SPEED
B9AABX	ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC	EL HD THROTTLE,SPEED RAMP RATE
C0Z0000	NO IDLE S/D SLPR MODE OVERRIDE	IDLE S/D COOLDOWN (SLEEPER)
D2AAFV	AMBIENT TEMP MIN TRESHOLD, 16 DEG C, (60 DEG F)	AMBIENT TEMP MIN TRESHOLD
D3AAEX	AMBIENT TEMP MAX TRESHOLD, 27 DEG C, (80 DEG F)	AMBIENT TEMP MAX TRESHOLD
E0XGAX	IDLE SHUTDOWN TIME 10 MIN.	ENGINE IDLE SHUTDOWN TIME
E3AACX	MIN CRUISE, 32 KPH (20 MPH)	CRUISE CONTROL MIN SPEED
E4AAAX	CRUISE RESUME WITH CLUTCH	CRUISE RESUME WITH CLUTCH
E5AACX	ENG BRK ENGAGE IN CRUISE, 3 MPH, ABOVE SET SPEED	ENG BRK ENGAGE IN CRUISE
F3AAEX	PTO 1ST, SINGLE SPEED SETTING, 1000 RPM	PTO1 SINGLE SPEED CONTROL RPM.
F5AABX	1ST PTO, MAX ROAD SPEED, 10 MPH (16 KPH)	PTO 1ST, MAX ROAD SPEED
F6AABX	PTO 1ST, SPEED RAMP RATE 100 RPM/SEC	PTO 1ST, SPEED RAMP RATE
F7AAPX	PTO 1ST, MAX ENGINE SPEED, 2100 RPM	PTO 1ST, MAX ENGINE SPEED
F8AAGX	PTO 1ST, ROAD SPEED LIMIT, 97 KMH (60 MPH)	PTO 1ST, ROAD SPEED LIMIT
F9AABX	PTO 1ST, MINIMUM ENGINE SPEED, 600 RPM	PTO 1ST, MINIMUM ENGINE SPEED
7QXA1X	AMT MANUAL SHIFT IN AUTOMATIC MODE INCL KICK DOWN	AMT MANUAL SHIFT OPTIONS
8RXAEX	ENG TORQUE LIMITED TO 50%, IF SPEED SENSOR TAMPER DETECTED	ENG TORQUE LIMIT,SPEED SENSOR

TRANSMISSION ELECTRONICS: 61 items

## PAINT

Code	Description	Family
9930010	BLACK	CHASSIS COLOR FAMILY
7HBZ1X	FUEL TANK PAINT PROCESS, NOT PAINTED	FUEL TANK PAINT PROCESS
9448050	SNOW IMRON ELITE P7241 EFF.06/11/05	PAINT/VINYL STRIPING - CAB EXTERIOR
9240001	SOLID PAINT	PAINT TYPE- AREA A
9220000	CHASSIS PAINT PROCESS, STANDARD COLOR (MACK BLACK) 6ABZ1X	PAINT PROCESS: CHASSIS
MP30001	ONE PAINT COLOR ONLY ;1	TOTAL PAINT COLOR QTY
2PBHAX	1 TONE HOOD, 1 TONE DRIVER AREA, IF SLEEPER 1 TONE	CAB PAINT TYPE
9940009	WHITE	AREA A CAB COLOR FAMILY
9960002	POLY BASE - POLY CLEAR	PAINT - CAB PAINT SYSTEM
BG10006	BUG CODE 6-CHASSIS RUNNING GEAR	BUG CODE CHASSIS
BG20002	BUG CODE 2-AREA A CAB	BUG CODE AREA A CAB
5YBZ1X	HUB & DRUM PAINT PROCESS, CHASSIS COLOR	HUB & DRUM PAINT PROCESS
5ZBZ1X	BUMPER PAINT PROCESS, NOT PAINTED	BUMPER PAINT PROCESS
6ABZ1X	CHASSIS PAINT PROCESS, STANDARD COLOR (MACK BLACK)	CHASSIS PAINT PROCESS
6BBZ1X	WHEEL PAINT PROCESS, NO CUSTOM PAINTED	WHEEL PAINT PROCESS
9512006	MACK BLACK 09000PP P3036 EFF. 6/21/96	PAINT - CHASSIS RUNNING GEAR

PAINT: 16 items

## CALCULATED CODES - KAX

Code	Description	Family
X2XACX	CROSSMEMBER1 X=5550MM	CROSSMEMBER '1' LOCATION
XMxA1X	PROP. SHAFT BRACKET FIRST POSITION ANGLE BASIC (90 DEGREES)	PROP SHAFT BRKT, FIRST, ANGLE
Y0XC5X	RIDE HIGHT 206-215 MM CL AXLE TO LOWER FRAME FLANGE	FRONT RIDE HEIGHT AT FULL LOAD
Y1XF1X	RIDE HEIGHT 251-270 MM, CL AXLE TO LOWER FRAME FLANGE	REAR RIDE HEIGHT AT FULL LOAD
MAN0001	COMPONENTS PRODUCT CLASS, CA CHANGE REQUIRED	COMPONENTS PRODUCT CLASS, CA CHANGE REQUIRED
V4BA1X	AIR TANK POSITION 4	AIR TANK POSITION 4
V3BA1X	AIR TANK POSITION 3	AIR TANK POSITION 3
V1BA1X	AIR TANK POSITION 1	AIR TANK POSITION 1



Year Model: 2018 GU813  
 VIN: 1M2AX16C0JM041922  
 Order Number: 068603  
 Build Date:  
 In Service Date: 05/07/2018

TSXA1X	PROP.SHAFT 1 BRKT POSITION C	PROP.SHAFT 1 BRKT POS. HORIZON
TNXC8X	PROP.SHAFT FIRST BRKT, POS 02	PROP.SHAFT FIRST BRKT VERTICAL
TJXA2X	TWO PIECE PROP.SHAFTS	NUMBER OF PROP.SHAFTS
TFXN2X	MAIN PROP.SHAFT LENGTH 1175	PROP.SHAFT LENGTH, MAIN AXLE
TDXSCX	FIRST PROP.SHAFT LENGTH 1400	PROP.SHAFT LENGTH, FIRST AXLE
TCXD1X	PROP.SHAFT DIMENSION, EXTRA LARGE,SINGLE JOINT	PROP.SHAFT DIMENSION (RESULT)
T3BD1X	AIRTANK POS.4, BRACKET POS.2, XM6200	AIRTANK POS 4, BRACKET POS 2
T2BD5X	AIRTANK POS.4, BRACKET POS.1, XM6050	AIRTANK POS 4, BRACKET POS 1
T1BG5X	AIRTANK POS.3, BRACKET POS.2, XM6450	AIRTANK POS 3, BRACKET POS 2
R9BD5X	AIRTANK POS. 3, BRACKET POS.1, XM6050	AIRTANK POS 3, BRACKET POS 1
R6BD1X	AIRTANK POS 1, BRACKET POS 2, XM5400	AIRTANK POS 1, BRACKET POS 2
4CAALX	NUMBER OF OPTIONAL SWITCHES, 12	NUMBER OF OPTIONAL SWITCHES
P7CA1X	AIRTANK CALCULATION STATUS, OK - PASSED VERIFICATION	AIRTANK CALCULATION STATUS
R5BB1X	AIRTANK PSO 1, BRACKET POS1, XM5100	AIRTANK POS 1, BRACKET POS 1
3HAB1X	DOT INCOMPLETE VEHICLE CERTIFICATION	VEHICLE CERTIFICATION
5420002	INCOMPLETE	VEHICLE CERTIFICATION
F1BA5X	AIRTANK LENGTH, POSITION 4, 350MM	AIR TANK LENGTH, POSITION 4
E9BD1X	AIRTANK LENGTH, POSITION 3, 600MM	AIR TANK LENGTH, POSITION 3
E7BC1X	AIRTANK LENGTH, POSITION 1, 500 MM	AIR TANK LENGTH/ POSITION 1
B4CA1X	SWITCH LAYOUT, BASIC	SWITCH LAYOUT
9JXA1X	YES, THE ORDER MUST BE CALCULATED	PROPCALC SELECTION

CALCULATED CODES - KAX: 29 items

### BASE WARRANTY & PURCHASED COVERAGES

Code	Description	Family
M410002	WARRANTY SMARTCODE ENGINE VE 13L	WARRANTY SMARTCODE ENGINE
M420001	WARRANTY SMARTCODE <460 HP	WARRANTY SMARTCODE HP
M521001	US and CANADA EQUIPPED VEHICLE EMISSION COMPONENTS COVERAGE	EMISSION COMPONENT COVERAGE
M511001	MACK MP7/MP8 BASE ENGINE COVERAGE 24 MONTHS / 250,000 MILES	MACK MP7/MP8, & MP10 ENGINE WARRANTY COVERAGE
8980003	HEAVY DUTY WARRANTY CLASSIFICATION	VEHICLE WARRANTY TYPE
M581000	STANDARD MACK ENGINE TOWING COVERAGE 24 MONTHS/250,000 MILES	ENGINE TOWING WARRANTY
M551002	STANDARD MACK HEAVY DUTY COVERAGE 36 MONTHS / 300,000 (483,0	CARRIER & AXLE HOUSING WARRANTY
M561000	AIR CONDITIONING STANDARD COVERAGE (Sealed System Only) 12	AIR CONDITIONING WARRANTY
M430002	WARRANTY SMARTCODE > 1760	WARRANTY SMARTCODE TORQUE
M501002	HEAVY DUTY STANDARD BASE COVERAGE 12 MONTHS/100,000 MILES (1	US \$ CANADA BASIC CHASSIS COVERAGE
M571000	STANDARD NORMAL / HEAVY DUTY CHASSIS TOWING 90 DAYS OR 5,000	CHASSIS TOWING WARRANTY

BASE WARRANTY & PURCHASED COVERAGES: 11 items

### Z - TO BE DISCONTINUED - GOING OBSOLETE

Code	Description	Family
30AA1X	BODY BUILDER PREP. CAB FLOOR	BODY BUILDER PREP PASS THROUGH

Z - TO BE DISCONTINUED - GOING OBSOLETE: 1 items

Code	Description	Family
0010002	TRUCK	VEHICLE TYPE
US00014	TSP BACK OFFICE PROCESS (PROBUILDER)	BACK OFFICE CONFIG
0059351	DUMP TRUCK	VEHICLE USE AND BODY/TRAILER TYPE
0060001	SELECT AN APPLICATION	VEHICLE USE AND BODY/TRAILER TYPE
0070001	SELECT AN APPLICATION	VEHICLE USE AND BODY/TRAILER TYPE
0130001	COMMERCIAL	TYPE OF SERVICE
1YAA1X	CARB REGULATIONS CERTIFICATION	USA STATE REGULATIONS
36XD2X	ENGLISH DECALS/SIGNS	LANGUAGES ON DECALS/SIGNS
38XAEX	1ST PUBLICATION LANGUAGE AMERICAN ENGLISH	FIRST PUBLICATION LANGUAGE
39XD1X	CERTIFICATION LABELS, CANADA	CERTIFICATION LABELS
5051703	CANADA, CARB ENGINE EMISSION (US17)	INITIAL REGISTRATION LOCATION
5060002	6X4	NUMBER OF AXLES
51AACX	BRAND MACK	BRAND
5290032	GRANITE AXLE BACK, CONVENTIONAL SERIES (GU8)	MODEL INDENT CONDENSED
5340001	ENGLISH	LANGUAGE
7740002	AXLE BACK	FRONT AXLE POSITION
78XC1X	LOAD HANDLING HAS A BIG IMPACT ON THE DIMENSIONING OF TRUCK	TRANSPORT CYCLE
70BB1X	BRAKE REGULATION, STOPPING DISTANCE 94M (310 FT)	BRAKE REGULATION
9160002	METRIC UNITS	DIMENSION CONVERSION
98XB2X	NORTH AMERICA NA-PROD	MARKET + AREA
99X93X	FACTORY MACUNGIE	FINAL ASSEMBLY PLANT
9PXA7X	CANADA	MARKET IN MAR
A192018	2018 MODEL YEAR	VEHICLE MODEL YEAR
A5DA1X	INTERIOR GENERATION, 1	INTERIOR GENERATION
AAX28X	MACK CONVENTIONAL PRODUCTS	PRODUCT CLASS
ABXLNX	MACK CONVENTIONAL, MEDIUM X, LOW HIGH CAB POS, 6*4 RIGID	PRODUCT TYPE
ADXC1X	EXTERIOR GENERATION THREE	EXTERIOR PACKAGE GENERATION
APP0001	CLASS A HIGHWAY	VEHICLE APPLICATION CLASS
CDX23X	CONSTRUCTION HOODLENGTH	CONVENTIONAL TYPE
CKX50X	CONVENTIONAL (N-SERIES)	VEHICLE PROFILE
DAX15X	6 WHEELS THEREOF 4 DRIVING	AXLE ARRANGEMENT
DDX15X	TRUCK TYPE (PLATFORM, TIPPER ETC.)	CHASSIS TYPE



Year Model: 2018 GU813  
VIN: 1M2AX16C0JM041922  
Order Number: 068603  
Build Date:  
In Service Date: 05/07/2018

DHX10X	WELL MAINTAINED SURFACED ROADS >95% DRIVING DISTANCE	ROAD CONDITION
DKXLAX	50.0 TONNES, GROSS COMBINATION WEIGHT	GROSS COMBINATION WEIGHT
E1BD1X	AMB TEMP HOT, UP TO +40C, WARMER ALLOWED 25 H/YEAR	AMBIENT TEMP UPPER LIMIT (GTA)
FAP2940	FRONT AXLE POSITION, 2940MM	FRONT AXLE POSITION
FAX20X	STEERING WHEEL POSITION, LEFT HAND SIDE	STEERING WHEEL POS.
FDXD1X	2 REAR AXLES, 2 DRIVEN	REAR AXLE ARRANGEMENT
FYX22X	FRONT AXLE POSITION, 2940MM	FRONT AXLE POSITION
LAX05X	ELECTRICAL SYSTEM 12 VOLT	VOLTAGE
M29755	GU813	MODEL SALES CODE
PB1018B	2008-10-07	
PT10007	CML 64R - GRANITE TRUCK	PRODUCT TYPE
QCXA1X	GRADES <3% DURING >98% OF DRIVING DIST. MAX GRADE 8%	TOPOGRAPHY
0022314	GU813 R 11L & 13L DAYCAB	CHASSIS (BASE MODEL)

: 45 Items

**TOTALS: 685 Items**

**Report Date: 5/24/2024 3:41:31 PM**

This Information is Confidential